

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Amazing Style\* EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Page 1 of 8 Print Date: 2023-03-10

### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade Name: Crafter's Choice™ Amazing Style\* - EO & FO Blend

#### 1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Manufacturer: IndiMade Brands, LLC DBA Wholesale Supplies Plus

7820 E Pleasant Valley Road Independence, OH 44131

(800) 359-0944

www.WholesaleSuppliesPlus.com

1.4 Emergency telephone number

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands

+1 813 248-0585 International

#### 2. Hazards Identification

#### 2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

#### Classification according to GHS

Acute Toxicity Oral, Category 5 H303 : May be harmful if swallowed

Acute Toxicity Dermal, Category 5 H313 : May be harmful in contact with skin

Skin Corrosion/Irritation, Category 3 H316: Causes mild skin irritation

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2B H320 : Causes eye irritation

Acute Toxicity Inhalation, Category 5 H333 : May be harmful if inhaled

Carcinogenicity, Category 2 H351 : Suspected of causing cancer

Reproductive Toxicity, Category 1B H360 : May damage fertility or the unborn child

Aquatic Chronic Toxicity, Category 1 H410: Very toxic to aquatic life with long lasting effects

Classification OSHA (Provisions 1910.1200 of title 29)

Sensitization, Skin, Category 1B H317: May cause an allergic skin reaction

Eye Damage/Eye Irritation, Category 2B H320 : Causes eye irritation

Carcinogenicity, Category 2 H351: Suspected of causing cancer

Reproductive Toxicity, Category 1B H360: May damage fertility or the unborn child

Classification Other

Carcinogenicity This mixture contains ingredients identified as carcinogens, at 0.1% or greater,

by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

**Hazard pictograms** 



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice Amazing Style\* -**EO & FO Blend** 

Page 2 of 8 Print Date: 2023-03-10

Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

7820 E Pleasant Valley Road







### Signal Word: Danger

#### **Hazard statements**

H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H320	Causes eye irritation
H333	May be harmful if inhaled
H351	Suspected of causing cancer
H360	May damage fertility or the unborn child
H410	Very toxic to aquatic life with long lasting effects

#### **Precautionary Statements**

#### Prevention:

• • • • • • • • • • • • • • • • • • • •	
P201	Obtain special instructions before use
P202	Do not handle until all safety precautions have been read and understood
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
P281	Use personal protective equipment as required

#### Res

95	sponse:	
	P302 + P352	IF ON SKIN: Wash with soap and water
	P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes Remove contact lenses if present and easy to do. continue rinsing
	P308 + P313	IF exposed or concerned: Get medical advice/attention
	P312	Call a POISON CENTER or doctor/physician if you feel unwell
	P313	Get medical advice/attention
	P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/attention
	P363	Wash contaminated clothing before reuse
	P391	Collect Spillage

#### 2.3 Other Hazards

#### no data available

#### 3. **Composition/Information on Ingredients**

#### 3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):



Style\* - EO & FO Blend

Product:

Crafter's Choice<sup>TM</sup> Amazing

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 3 of 8 Print Date: 2023-03-10

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.co

CAS#	EC#	Conc.	CHC Classification				
Ingredient	20"	Range	GHS Classification				
120-51-4	204-402-9	30 - 40 %	H302; H313; H400; H411				
Benzyl Be	enzoate						
1222-05-5	214-946-9	20 - 30 %	H316; H400; H410				
Hexamet	hylindanopyran						
118-58-1	204-262-9	10 - 20 %	H303; H317; H320; H401; H412				
Benzyl Sa	alicylate						
101-86-0	202-983-3	5 - 10 %	H303; H316; H317; H400; H411				
Hexyl cin							
105-95-3	203-347-8	2 - 5 %	H401				
Ethylene	brassylate						
5989-27-5	227-813-5	1 - 2 %	H226; H304; H315; H317; H400; H412				
Limonene	9						
115-95-7	204-116-4	1 - 2 %	H227; H315; H317; H320; H402				
Linalyl Ad	cetate						
80-54-6	201-289-8	1 - 2 %	H227; H302; H315; H317; H360; H401;				
Butylphenyl Methylpropional			H412				
81-14-1	201-328-9	1 - 2 %	H351; H400; H410				
Musk ket	one						
140-11-4	205-399-7	1 - 2 %	H303; H401; H412				
Benzyl ad	cetate						
78-70-6	201-134-4	0.1 - 1.0 %	H227; H303; H315; H317; H319; H402				
Linalool							
122-40-7	204-541-5	0.1 - 1.0 %	H303; H316; H317; H401; H411				
Amyl Cin	namal						
80-56-8	201-291-9	0.1 - 1.0 %	H226; H302; H304; H315; H317; H400;				
pinene			H410				
127-51-5	204-846-3	0.1 - 1.0 %	H316; H317; H320; H401; H411				
a-Isometi	hyl ionone						
127-91-3	204-872-5	0.1 - 1.0 %	H226; H304; H315; H317; H400; H410				
beta Pine	ene						
99-85-4	202-794-6	0.1 - 1.0 %	H226; H303; H304; H316; H361				
gamma-Terpinene							
See Section 1	See Section 16 for full text of GHS classification codes						

See Section 16 for full text of GHS classification codes which where not shown in section  $2\,$ 

Total Hydrocarbon Content (% w/w) = 2.39

#### 4. First Aid Measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air and keep at rest.

Obtain medical advice.

**Eye Exposure:** Flush immediately with water for at least 15 minutes.

Contact physician if symptoms persist.



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Product: Crafter's Choice<sup>TM</sup> Amazing Style\* - EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Skin Exposure:

Print Date: 2023-03-10

Page 4 of 8

Remove contaminated clothes. Wash thoroughly with water (and soap).

Contact physician if symptoms persist.

Ingestion: Rinse mouth with water and obtain medical advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: no data available

Risks: Refer to Section 2.2 "Hazard Statements"
4.3 Indication of any immediate medical attention and special treatment needed

Treatment: Refer to Section 2.2 "Response"

### 5. Fire-Fighting measures

5.1 Extinguishing media

Suitable: Carbon dioxide (CO2), Dry chemical, Foam

Unsuitable Do not use a direct water jet on burning material

5.2 Special hazards arising from the substance or mixture

During fire fighting: Water may be ineffective

5.3 Advice for firefighters

Further information: Standard procedure for chemical fires

#### 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.

#### 6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

#### 6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

#### 6.4 Reference to other sections

Not Applicable

#### Handling and Storage

#### 7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

#### 7.3 Specific end uses

No information available



Style\* - EO & FO Blend

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Crafter's Choice<sup>TM</sup> Amazing

Page 5 of 8

Print Date: 2023-03-10

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 8. Exposure Controls/Personal Protection

#### 8.1 Control parameters

**Exposure Limits:** 

Component ACGIH ACGIH OSHA OSHA
TWA ppm STEL ppm TWA ppm STEL ppm

 140-11-4
 Benzyl acetate
 10

 80-56-8
 pinene
 20

 127-91-3
 beta Pinene
 20

Product:

Engineering Controls: Use local exhaust as needed. 8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc.

as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

### 9. Physical and Chemical Properties

#### 9.1 Information on basic physical and chemical properties

Appearance: Liquid

Odor: Conforms to Standard

Color: Nearly Colorless to Yellow Tint (G0-1)

Viscosity: Liquid

Freezing Point:

Boiling Point:

Melting Point:

Not determined

Not determined

Not determined

Not determined

Flashpoint (CCCFP):

Auto flammability:

Not determined

Explosive Properties:

None Expected

None Expected

 Vapor Pressure (mmHg@20 C):
 0.0310

 %VOC:
 3.41

 Specific Gravity @ 25 C:
 1.0490

 Density (g/mL) @ 25 C:
 1.0460

 Refractive Index @ 20 C:
 1.5400

 Soluble in:
 Oil



Style\* - EO & FO Blend

Crafter's Choice<sup>™</sup> Amazing

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 6 of 8

Print Date: 2023-03-10

1.01.004 Bato. 2020 02

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

## 10. Stability and Reactivity

10.1 Reactivity None
10.2 Chemical stability Stable

10.3 Possibility of hazardous reactions None known 10.4 Conditions to avoid None known

10.5 Incompatible materials Strong oxidizing agents, strong acids, and alkalis

10.6 Hazardous decomposition products None known

### 11. Toxicological Information

#### 11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

Acute toxicity - Oral - (Rat) mg/kg (LD50: 2293.3990) May be harmful if swallowed

Acute toxicity - Dermal - (Rabbit) mg/kg (LD50: 4806.8317) May be harmful in contact with skin

Acute toxicity - Inhalation - (Rat) mg/L/4hr (LD50: 53.3582) May be harmful if inhaled

Skin corrosion / irritation Causes mild skin irritation
Serious eye damage / irritation Causes eye irritation

Product:

Respiratory sensitization Not classified - the classification criteria are not met

Skin sensitization May cause an allergic skin reaction

Germ cell mutagenicity Not classified - the classification criteria are not met

Carcinogenicity Suspected of causing cancer

Reproductive toxicity May damage fertility or the unborn child

Specific target organ toxicity - single exposure

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

Not classified - the classification criteria are not met

#### 12. Ecological Information

#### 12.1 Toxicity

Acute acquatic toxicity

Not classified - the classification criteria are not met

Very toxic to aquatic life with long lasting effects

Toxicity Data on soil no data available
Toxicity on other organisms no data available

12.2 Persistence and degradabilityno data available12.3 Bioaccumulative potentialno data available12.4 Mobility in soilno data available12.5 Other adverse effectsno data available



Style\* - EO & FO Blend

SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 7 of 8

Print Date: 2023-03-10

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

### 13. Disposal Conditions

#### 13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

Crafter's Choice<sup>™</sup> Amazing

### 14. Transport Information

Marine Pollutant Yes. Ingredient of greatest environmental impact: 1222-05-5: (20 - 30 %): Hexamethylindanopyran

Product:

Regulator	Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)	Not Regula			
Chemicals NOI				
ADR/RID (International Road/Rail)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IATA (Air Cargo)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082
IMDG (Sea)				
Environmentally Hazardous Substance, Liquid, n.o.s.	9	III		UN3082

### 15. Regulatory Information

U.S. Federal Regulations

TSCA (Toxic Substance Control Act)

All components of the substance/mixture are listed or exempt

40 CFR(EPCRA, SARA, CERCLA and CAA) This product contains the following components:

1222-05-5 214-946-9 20 - 30 % Hexamethylindanopyran

U.S. State Regulations

California Proposition 65 Warning This product contains the following components:

123-35-3(NF 204-622-5 0.01 - 0.1% beta-Myrcene (Natural Source)

Canadian Regulations

DSL 100.00% of the components are listed or exempt.

#### 16. Other Information

#### GHS H-Statements referred to under section 3 and not listed in section 2

H226 : Flammable liquid and vapour H227 : Combustible liquid

H302 : Harmful if swallowed and enters airways

H315 : Causes skin irritation H317 : May cause an allergic skin reaction

H319 : Causes serious eye irritation H361 : Suspected of damaging fertility or the unborn

child

H400 : Very Toxic to aquatic life H401 : Toxic to aquatic life



SDS v1 GHS / OSHA

Revised Date: 2023-02-07 00:00

Page 8 of 8

Print Date: 2023-03-10

Product: Crafter's Choice<sup>TM</sup> Amazing
Style\* -EO & FO Blend

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

H411: Toxic to aquatic life with long lasting effects

H402 : Harmful to aquatic life

H412: Harmful to aquatic life with long lasting effects

#### **Total Fractional Values**

(TFV) Risk

(135.21) Aquatic Chronic Toxicity, Category 3

(16.00) Sensitization, Skin, Category 1B

(12.00) Reproductive Toxicity, Category 1B

(4.00) Reproductive Toxicity, Category 1B

(3.78) Aquatic Chronic Toxicity, Category 4

(1.79) Eye Damage/Eye Irritation, Category 2B

(1.16) Aquatic Chronic Toxicity, Category 1

(1.04) Acute Toxicity Dermal, Category 5

(TFV) Risk

(93.71) Acute Toxicity Inhalation, Category 5

(13.44) Aquatic Chronic Toxicity, Category 2

(11.50) Carcinogenicity, Category 2

(4.00) Skin Corrosion/Irritation, Category 3

(2.18) Acute Toxicity Oral, Category 5

(1.43) Reproductive Toxicity, Category 2

(1.15) Carcinogenicity, Category 2

#### Department issuing data sheet:

#### Department E-mail address:

#### Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.