



Crafter'sChoice®

Version: 4.0
Revision Date: 11/18/2022

SAFETY DATA SHEET

1. Identification

Identification

Product name: Crafter's Choice™ Disodium Laureth Sulfosuccinate

Additional identification

Chemical name: Disodium Laureth Sulfosuccinate

Recommended use and restriction on use

Recommended use: Surfactants • Bath &
Restrictions on use: Shower None identified.

Details of the supplier of the safety data sheet

Company Name: IndiMade Brands, LLC DBA Wholesale Supplies Plus
Address: 7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Telephone:

Emergency telephone number:

(800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. Hazard(s) identification

Hazard Classification

Health Hazards

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 1

Unknown toxicity

Acute toxicity, inhalation, vapor 39.2 %

Acute toxicity, inhalation, dust or mist 39.2 %

Label Elements:

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Causes skin irritation.
Causes serious eye damage.

Precautionary Statements:

Prevention: Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response: IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing. Specific treatment (see supplemental first aid instructions on this label). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Other hazards which do not result in GHS classification: None identified.

3. Composition/information on ingredients

Chemical name	CAS number	Percent by Weight
Disodium laureth sulfosuccinate	68815-56-5	30 – 40%
Ethoxylated alcohol	68551-12-2	5 – 10%

4. First-aid measures

Ingestion: Rinse mouth. Get medical attention if symptoms occur.

Inhalation: Remove exposed person to fresh air if adverse effects are observed.

Skin Contact: Take off contaminated clothing and wash before re-use. Wash skin thoroughly with soap and water. If skin irritation occurs, get medical attention.

Eye contact: Rinse cautiously with water for several minutes. Flush thoroughly with water. If irritation occurs, get medical assistance. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Most important symptoms/effects, acute and delayed

Symptoms: See section 11.

Indication of immediate medical attention and special treatment needed

Treatment: Treat symptomatically.

5. Fire-fighting measures

General Fire Hazards: No unusual fire or explosion hazards noted.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: CO2, dry chemical, foam, water spray, water fog.

Unsuitable extinguishing media: Not determined.

Specific hazards arising from the chemical:

Material will not burn until water has been evaporated. Container may rupture on heating. Water or foam may cause frothing. Avoid solid streams of water. Use water spray. See section 10 for additional information.

Special protective equipment and precautions for fire-fighters

Special fire-fighting procedures: No data available.

Special protective equipment for fire-fighters: Wear full protective firegear including self-containing breathing apparatus operated in the positive pressure mode with full facepiece, coat, pants, gloves and boots.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep unauthorized personnel away. See Section 8 of the SDS for Personal Protective Equipment.

Environmental Precautions:

Avoid release to the environment. Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.

Methods and material for containment and cleaning up:

Dike far ahead of larger spill for later recovery and disposal. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Wash area with soap and water. Spilled liquid and dried film are slippery. Use care to avoid falls. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewer, basements or confined areas.

7. Handling and storage

Precautions for safe handling:

When using do not eat, drink or smoke. Stir well before use. Keep containers closed when not in use. Minimize contact with air to reduce contamination with mold, fungus, or other organisms which could cause decomposition or spoilage. Wash thoroughly after handling. Do not get in eyes. Avoid contact with skin. Observe good industrial hygiene practices. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Launder contaminated clothing before reuse. Avoid environmental contamination.

Maximum Handling Temperature:

Not determined.

Conditions for safe storage, including any incompatibilities:

Keep from freezing. Do not store in open, unlabeled or mislabeled containers. Store away from incompatible materials. See section 10 for incompatible materials.

Maximum Storage Temperature:

Not determined.

8. Exposure controls/personal protection

Control Parameters:

Occupational Exposure Limits

None of the components have assigned exposure limits.

Appropriate engineering controls:

Use material in well ventilated area only. Adequate ventilation should be provided so that exposure limits are not exceeded. Mechanical ventilation or local exhaust ventilation may be required. No special requirements under ordinary conditions of use and with adequate ventilation.

Individual protection measures, such as personal protective equipment

General information:

Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Eye/face protection:

Wear tight-fitting goggles or face shield. Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

Skin Protection

Hand Protection:

Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur wear chemically protective gloves.

Other:

Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material.

Respiratory Protection:

Under normal use conditions, respirator is not usually required. Use appropriate respiratory protection if exposure to dust particles, mist or vapors is likely. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator. Use respirator with an organic vapor and dust/mist cartridge if the recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.

Hygiene measures:

Observe good industrial hygiene practices. Do not get in eyes. Avoid contact with skin. Wash contaminated clothing before reuse. Wash hands before breaks and immediately after handling the product.

9. Physical and chemical properties

Appearance

Physical state:

liquid

Form:

liquid

Color:

Light yellow

Slight

No data available.



pH:	6.6 - 7 (10 %)
Freezing point:	Approximate 0 °C
Boiling Point:	Approximate 212 °F (100 °C)
Flash Point:	Not applicable.
Evaporation rate:	< 1 n-butyl acetate=1
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper:	No data available.
Explosive limit - lower:	No data available.
Vapor pressure:	Approximate 18 torr (20 °C 68 °F)
Vapor density:	< 1
Relative density:	1.05 - 1.16 68 °F (20 °C)
Solubility(ies)	
Solubility in water:	Dispersible
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.
Other information	
Bulk density:	Approximate 9.2 lb/gal 77 °F (25 °C)
Percent Solld:	39 % (Percent by Weight)
Percent volatile:	60 - 62 %(Percent by Weight)

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	Will not occur.
Conditions to avoid:	Do not freeze.
Incompatible Materials:	Strong oxidizers
Hazardous Decomposition Products:	Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids. Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide , sulfur oxides, mercaptans, sulfides, including hydrogen sulfide and other products of incomplete combustion. Thermal decomposition may generate sodium oxides and other sodium containing compounds.

11. Toxicological information

Inhalation:	No data available.
Ingestion:	No data available.
Skin Contact:	Causes skin irritation.
Eye contact:	Causes serious eye damage.

Information on toxicological effects

Acute toxicity

Oral

Product: Not classified for acute toxicity based on available data. Swallowing material may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea, and abdominal pain.

Dermal

Product: ATEmix > 5,000 mg/kg

Inhalation

No data available

Skin Corrosion/Irritation:

Product: Remarks: Causes skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

Serious Eye Damage/Eye Irritation:

Product: Remarks: Causes serious eye damage.

Respiratory sensitization:

No data available

Skin sensitization:

No data available

Specific Target Organ Toxicity - Single Exposure:

Disodium laureth sulfosuccinate If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and the upper respiratory tract.

Ethoxylated alcohol May cause irritation to the mucous membranes and upper respiratory tract.

Aspiration Hazard:

No data available

Other effects:

Chronic Effects

Carcinogenicity:

No data available

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050), as amended:

No carcinogenic components identified

Germ Cell Mutagenicity:

No data available

Reproductive toxicity:

No data available

Specific Target Organ Toxicity - Repeated Exposure:

No data available

12. Ecological information

Ecotoxicity

Fish

Ethoxylated alcohol LC 50 (Not reported, 96 h): > 1 - 10 mg/l

Aquatic Invertebrates

Ethoxylated alcohol EC 50 (Water flea (Daphnia), 48 h): > 0.1 - 1 mg/l
NOEC (Water flea (Daphnia magna), 21 d): > 0.1 - 1 mg/l

Toxicity to Aquatic Plants

Ethoxylated alcohol EC 50 (Alga, 72 h): > 0.1 - 1 mg/l

Toxicity to soil dwelling organisms

No data available

Sediment Toxicity

No data available

Toxicity to Terrestrial Plants

No data available

Toxicity to Above-Ground Organisms

No data available

Toxicity to microorganisms

No data available

Persistence and Degradability

Biodegradation

Ethoxylated alcohol OECD TG 301 F, > 60 %, 28 d, Readily biodegradable

Bioaccumulative potential

Bioconcentration Factor (BCF)

No data available

Partition Coefficient n-octanol / water (log Kow)
No data available

Mobility:
No data available

Other adverse effects
Product: Toxic to aquatic organisms.

13. Disposal considerations

Disposal instructions: Treatment, storage, transportation, and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations. Dispose of packaging or containers in accordance with local, regional, national and international regulations. Empty container contains product residue which may exhibit hazards of product.

Contaminated Packaging: Container packaging may exhibit hazards.

14. Transport information

DOT
Not regulated.

IMDG
Not regulated.

IATA
Not regulated.

Transport in bulk according to Annex II of MARPOL and the IBC Code
None known.

The DOT shipping information in this section is based on a bulk container. Please review the accompanying shipping papers for the correct shipping descriptions based the size of the package. Shipping descriptions may vary based on mode of transport, quantities, temperature of the material, package size, and/or origin and destination. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material. During transportation, steps must be taken to prevent load shifting or materials falling, and all relating legal statutes should be obeyed. Review classification requirements before shipping materials at elevated temperatures.

15. Regulatory information

US Federal Regulations
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)
None present or none present in regulated quantities.

TSCA Section 5(a)2 Significant New Use Rule (SNURs) (40CFR 721, Subpt E)
None present or none present in regulated quantities.

CERCLA Hazardous Substance List 40 CFR 302.4

Chemical Identit	CAS number	Re ortable uantit
------------------	------------	-------------------

Carboxylic acid	65-85-0	5000 lbs
-----------------	---------	----------

Superfund amendments and reauthorization act of 1986 (SARA)

SARA 311 Classifications

Skin Corrosion or Irritation
Serious eye damage or eye irritation

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

None present or none present in regulated quantities.

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65



This product may contain chemical(s) known to the state of California to cause cancer and/or birth defects. Additional information can be received upon request.

Inventory Status

Australia (AIC)

All components are in compliance with chemical notification requirements in Australia.

Canada (DSUNDSL)

All substances contained in this product are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List (DSL) or are exempt.

China (IECSC)

All components of this product are listed on the Inventory of Existing Chemical Substances in China.

European Union (REACH)

To obtain information on the REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Great Britain (UK REACH)

To obtain information on the UK REACH compliance status of this product, please e-mail REACH@SDSInquiries.com.

Japan (ENCS)

This product contains a substance that is not listed on the Japanese Existing and New Chemical Substances (ENCS) list.

Korea (ECL)

All components are in compliance in Korea.

New Zealand (NZIoC)

All components are in compliance with chemical notification requirements in New Zealand.

Philippines (PICCS)

All components are in compliance with the Philippines Toxic Substances and Hazardous and Nuclear Wastes Control Act of 1990 (R.A. 6969).

Switzerland (SWISS)

All components are in compliance with the Environmentally Hazardous Substances Ordinance in Switzerland.

Taiwan (TCSCA)

All components of this product are listed on the Taiwan inventory.

Turkey (KKDIK)

To obtain information on the KKDIK compliance status of this product, please e-mail REACH@SDSInquiries.com.

United States (TSCA)

All substances contained in this product are listed on the TSCA inventory or are exempt.

The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in Section 3.


16. Other information, including date of preparation or last revision

HMIS Hazard ID

Health	3
Flammability	1
Physical Hazards	0

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible; *Chronic health effect

NFPA Hazard ID



	Flammability
	Health
	Reactivity
	Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; RNP - Rating not possible

Issue Date:	11/18/2022
Version #:	4.0
Source of information:	Internal company data and other publically available resources.
Further Information:	Contact supplier (see Section 1)



Disclaimer:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.