

# SAFETY DATA SHEET

## 1. Identification

**Product Name** : **Crafter's Choice™ Seppel 305 Emulsifier**  
**Recommended Use of Chemical** : Cosmetics  
**Restrictions on Use** : No restrictions on use known  
**Chemical Family** : Mixture  
**Name and Address of the Supplier** : IndiMade Brands, LLC DBA Wholesale Supplies Plus  
 7820 E Pleasant Valley Road  
 Independence, OH 44131  
 (800) 359-0944  
 : www.WholesaleSuppliesPlus.com  
 : (800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands  
 +1 813 248-0585 International  
**Emergency Telephone Number**

## 2. Hazard(s) Identification

**Health Hazards** : Skin Corrosion/Irritation – Category 2  
 Aspiration Hazard – Category 2

**GHS Label Elements, Including Precautionary Statements**

**Pictograms** :



**Signal Words** :

**WARNING**

**Hazard Statements** :

H305 May be harmful if swallowed and enter airway.  
 H315 Causes skin irritation.

**Precautionary Statements**

Prevention

: P264 Wash thoroughly after handling  
 P280 Wear eye protection/face protection.

Response

: P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.  
 P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
 P331 Do not induce vomiting.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P362 Take off contaminated clothing and wash before reuse.

Storage

: P405 Store sealed.

Disposal

: P501 Dispose of contents/container in accordance with local/regional /national/international regulations.

## Other Hazards Which Do Not Result in Classification (NFPA)

Health	: No data
Flammability	: No data
Reactivity	: No data

## 3. Composition/Information on Ingredients

Chemical Name	CAS Number	Percent by Weight(%)
Polyacrylamide	9003-05-8	35-45
C13-14 Isoalkane	64742-47-8	15-25
Laureth-7	3055-97-8	3-8
Water	7732-18-5	22-47

## 4. First Aid Measures

<b>Eye Contact</b>	: Flush eyes with running water for at least 15 minutes. If needed, seek medical attention.
<b>Ingestion</b>	: Seek medical attention immediately. Never give anything by mouth to an unconscious person.
<b>Inhalation</b>	: Keep victim warm and quiet. Move victim to fresh air. Give artificial respiration if breathing has stopped. If needed, seek medical attention.
<b>Skin Contact</b>	: Wash skin with soap and running water for at least 15 minutes. Wash and dry contaminated clothing and shoes before reuse thoroughly. If needed, seek medical attention.
<b>Other Information</b>	: Ensure that medical personnel are aware of the materials involved and take precautions to protect themselves.

## 5. Firefighting Measures

### Extinguishing Media

Suitable extinguishing media	: Dry Chemical, CO2.
Unsuitable extinguishing media	: None known. For Large fires, use extinguishing media suitable for surrounding fire for extinction.

### Specific Hazards Arising from the Substance or Mixture

: Thermal decomposition may produce toxic fumes of the following: Carbon monoxide, Nitrogen oxides (NO<sub>x</sub>), Sulfur compound. Some can burn but do not ignite easily.

### Protective Equipment for Firefighters

: Cool containers with flooding quantities of water until well after fire is out. Minimize exposure. Do not breathe fumes. Stop leak if you can do it without risk. Wear self-contained breathing apparatus (SCBA) and protective suit.



# Crafter's Choice™ Spegel 305 Emulsifier

Revision Date: 06/26/2024

Version: 9

## 6. Accidental Release Measures

- Personal Precautions and Protective Equipment** : Use personal protective equipment.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Keep away from heat/sparks/open flames/hot surfaces.  
Stop leak if you can do it without risk.
- Environmental Precautions** : Atmosphere: Use with adequate ventilation.  
Land: Dike far ahead of liquid spill for later disposal.  
Underwater: Prevent entry into waterway and sewers.
- Methods and Material for Containment and Cleaning up** : Collect as much as possible in a clean container for (preferable) reuse or disposal. Prevent entry into waterways, sewers, basements or confined areas.

## 7. Handling and Storage

- Precautions for Safe Handling** : Wash off in water after treatment. Use with adequate ventilation.  
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.  
Remove contaminated clothing and protective equipment before entering eating areas.
- Conditions for Safe Storage** : Keep away from heat/sparks/open flames/hot surfaces.  
Keep container closed tightly when not in use. Store in a well-ventilated place.  
Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with local regulations.  
Store away from light and heat (0-35°C).  
STIR BEFORE USE.

## 8. Exposure Controls/Personal Protection

### Chemical Exposure Indices, Biological Exposure Indices

- OSHA (PEL-TWA) : Not applicable.  
ACGIH (TLV-TWA) : Not applicable.  
Biological exposure indices (ACGIH) : Not applicable.

- Appropriate Engineering Controls** : Use with local exhaust ventilation.

### Individual Protection Measures

- Eye Protection : Wear safety glasses with side shields against dust and particulates.  
Body Protection : Wear appropriate protective clothing.  
Hand Protection : Wearing chemical resistant gloves is recommended.  
Recommended: nitrile rubber, fluor rubber.  
Respiratory Protection : Use NIOSH approved dust mask if dust levels are irritating.

## 9. Physical and Chemical Properties

Appearance/Physical State	: Emulsion Liquid
Color	: White
Odor	: Characteristic
Odor Threshold	: No data
pH	: 5.0 – 7.0 (2% solution in water)
Melting Point/Freezing Point	: No data
Boiling Point	: No data
Flash Point	: >102 °C (Cleveland, open cup)
Evaporation Rate	: No data
Flammability	: No data
Upper/Lower Flammability	: No data
Vapor Pressure	: No data
Solubility	: Disperse in cooling water
Vapor Density	: No data
Specific Gravity	: 1.1 g/cm <sup>3</sup>
n-Octanol/Water Distribution Coefficient	: No data
Self-Igniting	: No data
Decomposition Temperature	: No data
Viscosity	: 1500-4500 mPas
Molecular Weight	: No data

## 10. Stability and Reactivity

Chemical Stability & Possibility of Hazardous Reaction	: Stable under normal temperature and pressure.
Conditions to Avoid	: Heat, flame, other ignition sources.
Material to Avoid	: Oxidizing agents.
Hazardous Decomposition Products	: Carbon dioxide, carbon monoxide, nitric oxide, sulfur oxides, metal oxides.

## 11. Toxicological Information

Information on the Likely Routes of Exposures	: No data
Health Hazardous Information:	
Acute Toxicity	:
Oral	: C13-14 Isoalkane: Rat LD50>5000 mg/kg (GLP)(IUCLID)
Dermal	: C13-14 Isoalkane: Rabbit LD50>2000 mg/kg (GLP)(IUCLID)
Inhalation	: C13-14 Isoalkane: Rat LC50>5.2 mg/L/4hr (GLP)(IUCLID)
Skin Corrosion or Irritation	: C13-14 Isoalkane: Rabbit Draize Test – irritating, score: 4.4-8.0 (GLP)(IUCLID)

<b>Serious Eye Damage or Irritation</b>	:	C13-14 Isoalkane: The vapor is slightly irritating to the eyes (ICSC). Rabbit Draize Test – slightly irritating (GLP)(IUCLID)
<b>Respiratory</b>	:	No data
<b>Skin Sensitization</b>	:	C13-14 Isoalkane: Guinea pig Buehler Test – not sensitizing (GLP)(IUCLID)
<b>Carcinogenicity</b>	:	No data
<b>IARC</b>	:	No data
<b>OSHA</b>	:	No data
<b>ACGIH</b>	:	No data
<b>NTP</b>	:	No data
<b>EU CLP</b>	:	No data
<b>Germ Cell Mutagenicity</b>	:	C13-14 Isoalkane: negative
<b>Reproductive Toxicity</b>	:	No data
<b>Specific Target Organ Toxicity (Repeated Exposure)</b>	:	C13-14 Isoalkane: Rat inhalation 13 weeks (6 hr/day, 5 d/w) NOAEL=0.1 mg/L, Rat gavage 13 weeks (7 d/w) LOAEL=100 mg/kg (OECD 409)(GLP) No significant treatment-related effects were found (IUCLID)
<b>Aspiration Hazard</b>	:	C13-14 Isoalkane: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis (ICSC)
<b>Other Hazard Information</b>	:	No data

## 12. Ecological Information

<b>Ecotoxicity</b>	
Fish	: C13-14 Isoalkane: Pimephales promelas 96hr LC50>10000 mg/L (GLP), 128 days NOEC=1 mg/L
Crustacea	: C13-14 Isoalkane: Dendronereides heteropoda 48hr LC50=4720 mg/L (IUCLID)
Algae	: No data
<b>Persistence and Degradability</b>	: C13-14 Isoalkane: 4% after 28 days: Not readily biodegradable (OECD 301D)(GLP)(IUCLID)
<b>Bioaccumulative Potential</b>	: No data
<b>Mobility in Soil</b>	: No data
<b>Other Adverse Effects</b>	: No data

## 13. Disposal Considerations

<b>Waste Treatment Methods</b>	:	Incinerate or landfill waste in a properly permitted facility in accordance with federal, state and local regulations. Liquids cannot be disposed of in a landfill.
--------------------------------	---	---



# Crafter's Choice™ Spegel 305 Emulsifier

Revision Date: 06/26/2024

Version: 9

**Recommendation** : The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible

## 14. Transportation Information

**Not Regulated**

**Special Precautions for User** : Not applicable

## 15. Regulatory Information

**Occupation Safety and Health Act** : Exposure limit substance

**Chemical Substance Act** : Not applicable

**Hazardous Safety Control Law** : Not applicable

**Waste Control Law** : Not applicable

### Other Regulations

American management information (OSHA regulations) : Not applicable

American management information (CERCLA regulations) : Not applicable

American management information (EPCRA 302 regulations) : Not applicable

American management information (EPCRA 304 regulations) : Not applicable

American management information (EPCRA 313 regulations) : Not applicable

American management information (Rotterdam convention substance) : Not applicable

American management information (Stockholm Convention substance) : Not applicable

American management information (Montreal convention substance) : Not applicable

Toxic Substance Control Act Inventory (TSCA) : All components of this product are registered.

EU Regulation : Not applicable

International Regulation : Not applicable

### INCI (International Nomenclature of Cosmetic Ingredients)

Polyacrylamide : Classified as emulsion stabilizing, viscosity controlling.

C13-14 Isoalkane : Classified as an Emollient Solvent.

Laureth-7 : Classified as emulsifiers and surfactants.

International Council of Chemical Associations (ICCA) HPV Chemicals Programme : Not applicable



# Crafter's Choice™ Spegel 305 Emulsifier

Revision Date: 06/26/2024

Version: 9

## 16. Other Information

### Legend:

ACGIH: American Conference of Governmental Industrial Hygienists

CAS: Chemical Abstracts Service (division of the American Chemical Society)

CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act of 1980

IARC: International Agency for Research on Cancer

LC: Lethal Concentration

LD: Lethal Dose

NIOSH: National Institute of Occupational Safety and Health

NOEC: No observable effect concentration

NTP: National Toxicology Program

OECD: Organization for Economic Co-operation and Development

OSHA: Occupational Safety and Health Administration

PEL: Permissible exposure limit

TSCA: Toxic Substance Control Act

TWA: Time Weighted Average

### Disclaimer

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.