



Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date : 2023/09/12
Version: 6.0

Page: 1/10

1. Identification

Product identifier used on the label

Crafter's Choice™ Caprylyl Capryl Glucoside

Recommended use of the chemical and restriction on use

Recommended use*: surfactants, cosmetic ingredient, Consumer uses for cosmetic products are not considered in the scope of REACH (1907/2006, Art. 14).

Recommended use*: Chemical

Unsuitable for use: Not intended for sale to or use by the general public.

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

IndiMade Brands, LLC DBA Wholesale Supplies Plus
7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Emergency telephone number

(800) 255-3924 | Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 | International

Other means of identification

Synonyms: Alkylpolyglucoside

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Eye Dam./Irrit.	1	Serious eye damage/eye irritation
Aquatic Acute	3	Hazardous to the aquatic environment - acute

Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date: 2023/09/12

Page: 2/10

Version: 6.0

Label elements

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318 Causes serious eye damage.

H402 Harmful to aquatic life.

Precautionary Statements (Prevention):

P280 Wear eye and face protection.

P273 Avoid release to the environment.

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

Precautionary Statements (Disposal):

P501 Dispose of contents and container to hazardous or special waste collection point.

Hazards not otherwise classified

No specific dangers known, if the regulations/notes for storage and handling are considered.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

D-Glucopyranose, oligomers, decyl octyl glycosides

CAS Number: 68515-73-1

Content (W/W): ≥ 50.0 - $< 75.0\%$

Synonym: No data available.

Sodium Hydroxide

CAS Number: 1310-73-2

Content (W/W): > 0.5 - $< 1.0\%$

Synonym: Sodium hydroxide; Caustic soda

4. First-Aid Measures

Description of first aid measures

If inhaled:

Keep patient calm, remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Seek medical assistance.

Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date: 2023/09/12

Page: 3/10

Version: 6.0

If on skin:

Wash thoroughly with soap and water Remove contaminated clothing. Wash contaminated clothing before reuse. If irritation should develop, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. Do not rub eyes; mechanical action may cause corneal damage. If adverse health effects develop seek medical attention.

If swallowed:

Immediately rinse mouth and then drink 200 - 300 ml water, do not induce vomiting, seek medical attention.

Most important symptoms and effects, both acute and delayed

Information on: D-Glucopyranose, oligomers, decyl octyl glycosides

Symptoms: Overexposure may cause: corneal injury, skin corrosion, severe pain, coughing, respiratory disorders, dyspnea, nausea, headache, vomiting, dizziness, diarrhea, abdominal cramps

Hazards: No hazard is expected under intended use and appropriate handling.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
water spray, carbon dioxide, dry powder, foam

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date: 2023/09/12

Page: 4/10

Version: 6.0

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing.

Environmental precautions

Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material.

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice.

Protection against fire and explosion:

Take precautionary measures against static discharges. Avoid all sources of ignition: heat, sparks, open flame.

Conditions for safe storage, including any incompatibilities

No applicable information available.

Suitable materials for containers: Stove-lacquer R 78433, High density polyethylene (HDPE)

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: 10 - 40 °C

Protect from temperatures below: 10 °C

Below the temperature limit, the product is no longer pumpable.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature. Properties of the product change irreversibly on exceeding the limit temperature.

8. Exposure Controls/Personal Protection

Components with occupational exposure limits

Sodium Hydroxide	ACGIH, US:	CLV 2 mg/m ³ ;
	OSHA Z1:	PEL 2 mg/m ³ ;

Advice on system design:

No applicable information available.

Personal protective equipment

Respiratory protection:

Respiratory protection not required.

Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date: 2023/09/12

Page: 5/10

Version: 6.0

Hand protection:

Suitable are protective gloves with the following specification. The recommendation is valid for laboratory conditions, specific workplace conditions must be taken into consideration separately., Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1); nitrile rubber (NBR) - 0.4 mm coating thickness

Eye protection:

Tightly fitting safety goggles (chemical goggles).

General safety and hygiene measures:

Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	liquid	
Odour:	almost odourless	
Odour threshold:	not applicable	
Colour:	yellow	
pH value:	11.5 - 12.5 (20 °C)	(ph-value of APG-220 UP,-230 DK,- 600 UP)
solidification temperature:	<= 10.0 °C	(DGF C-IV 3C)
Melting temperature:	< 0 °C	
boiling temperature:	> 100 °C (1,013.200 hPa)	
Sublimation point:	No applicable information available.	
Flash point:	210 °C	(ISO 2592)
Flammability:	not flammable	
Flammability of Aerosol Products:	not applicable, the product does not form flammable aerosoles	
Lower explosion limit:	For liquids not relevant for classification and labelling.	
Upper explosion limit:	For liquids not relevant for classification and labelling.	
Autoignition:	> 300 °C	
Vapour pressure:	< 0.1 hPa (20 °C)	
Density:	1.13 - 1.14 g/cm3 (20 °C)	(DIN 51757)
Vapour density:	not applicable	
Partitioning coefficient n- octanol/water (log Pow):	< 1.77 The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.	
Self-ignition temperature:	not applicable	
Thermal decomposition:	> 350 °C (DTA)	
Viscosity, dynamic:	500 - 1,500 mPa*s (40.0 °C)	(DIN 53015)
Viscosity, kinematic:	not determined	
Solubility in water:	soluble	
Solubility (quantitative):	No applicable information available.	

Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date: 2023/09/12

Page: 6/10

Version: 6.0

Solubility (qualitative):	miscible in all proportions solvent(s): distilled water,
Evaporation rate:	Value can be approximated from Henry's Law Constant or vapor pressure.
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section. No further information available.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:
not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

None if used for intended purpose.

Conditions to avoid

See SDS section 7 - Handling and storage.

Incompatible materials

No substances known that should be avoided.

Hazardous decomposition products

Decomposition products:
No hazardous decomposition products known.

Thermal decomposition:
> 350 °C (DTA)

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single skin contact.
Virtually nontoxic after a single ingestion.

Oral

Type of value: LD50

Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date: 2023/09/12
Version: 6.0

Page: 7/10

Species: rat
Value: > 5,000 mg/kg (OECD Guideline 401)

Inhalation
No applicable information available.

Dermal
Type of value: LD50
Species: rabbit
Value: > 2,000 mg/kg (OECD Guideline 402)

Assessment other acute effects
Assessment of STOT single:
Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion
Assessment of irritating effects: May cause severe damage to the eyes. Not irritating to the skin.

Skin
Species: rabbit
Result: Slightly irritating.
Method: OECD Guideline 404

Eye
Species: rabbit
Result: Severely irritating.
Method: OECD Guideline 405

Information on: D-Glucopyranose, oligomers, decyl octyl glycosides
Species: rabbit
Result: Risk of serious damage to eyes.
Method: OECD Guideline 405
Data of a comparable product

Sensitization
Assessment of sensitization: No sensitizing effect.

Species: guinea pig
Result: Non-sensitizing.
Method: OECD Guideline 406

Aspiration Hazard
No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity
Assessment of repeated dose toxicity: No adverse effects were observed after repeated oral exposure in animal studies.

Genetic toxicity
Assessment of mutagenicity: The substance was not mutagenic in bacteria.
Genetic toxicity in vitro: OECD Guideline 471 Ames-test Salmonella typhimurium:negative

Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date: 2023/09/12
Version: 6.0

Page: 8/10

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: The information available on the product provides no indication of reproductive toxicity.

Teratogenicity

Assessment of teratogenicity: In animal studies the substance did not cause malformations.

12. Ecological Information

Toxicity

Toxicity to fish

LC50 > 100 mg/l, Brachydanio rerio (DIN EN ISO 7346-2)

Aquatic invertebrates

EC50 > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1)

Aquatic plants

EC50 > 10 - 100 mg/l, Scenedesmus subspicatus (Directive 88/302/EEC, part C, p. 89)

Chronic toxicity to fish

No observed effect concentration > 1 - 10 mg/l, Brachydanio rerio (OECD Guideline 204)

Chronic toxicity to aquatic invertebrates

No observed effect concentration > 1 - 10 mg/l, Daphnia magna (OECD Guideline 202, part 2)

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

OECD Guideline 209 bacterium/EC0: > 100 mg/l

DIN 38412 Part 8 bacterium/EC0: > 100 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)

Readily biodegradable (according to OECD criteria).

Bioaccumulative potential

Assessment bioaccumulation potential

Significant accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.
Adsorption to solid soil phase is not expected.

Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date: 2023/09/12
Version: 6.0

Page: 9/10

The product has not been fully tested. The statements have been derived in parts from products of a similar structure or composition.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Cosmetic TSCA, US released / exempt

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

State regulations

State RTK

NJ

PA

CAS Number

1310-73-2

1310-73-2

Chemical name

Sodium Hydroxide

Sodium Hydroxide

NFPA Hazard codes:

Health: 3

Fire: 1

Reactivity: 0

Special:

16. Other Information

SDS Prepared by:

SDS Prepared on: 2023/09/12

Safety Data Sheet

Crafter's Choice™ Caprylyl Capryl Glucoside

Revision date: 2023/09/12

Page: 10/10

Version: 6.0

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE , IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET