

#### Complying with 29 CFR 1910.1200 standard (HazCom 2012)

# SAFETY DATA SHEET

### SFPIMAX 7FN

### Section 1. Identification

Product trade name : SEPIMAX ZEN Product code

: 80682Q

Material uses : Thickening agent. Manufacture of cosmetics. Stabilizer for cosmetic active ingredients

#### Relevant identified uses of the substance or mixture and uses advised against

: IndiMade Brands, LLC DBA Wholesale Supplies Plus Supplier

> 7820 E Pleasant Valley Road Independence, OH 44131

www.WholesaleSuppliesPlus.com

(800) 359-0944

**Emergency** telephone

number (with hours of

(800) 255-3924 (International: +1 813 248-0585)

operation)

### Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication

Standard (29 CFR 1910.1200).

Classification of the

substance or mixture

Hazards not otherwise

classified

: None known.

: COMBUSTIBLE DUSTS

**GHS** label elements Warning

Signal word May form combustible dust concentrations in air.

**Hazard statements** Not applicable.

Prevention

Not Applicable. Response Not Applicable. Storage Not Applicable.

Disposal

Supplemental : Keep container tightly closed. Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking. Prevent dust accumulation. label elements

#### ADDITIONAL INFORMATION

Storage : STORE UNDER COVER. Store in tightly-closed container. Keep container dry.

### Section 3. Composition/information on ingredients

Substance/mixture : Mono-constituent substance

**Product description** : Synthetic copolymer **INCI Name:** : POLYACRYLATE **CROSSPOLYMER-6** 

Ingredient name	Identifiers	%
Polyacrylate crosspolymer-6	-	80 - 100
2-methylpropan-2-ol	200-889-7	1 - 5

Date of issue/Date of revision : 09/12/2020 1/10

### Section 3. Composition/information on ingredients

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10

minutes. Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing

such as a collar, tie, belt or waistband.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean

shoes thoroughly before reuse.

Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed

and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a

collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contact : Exposure to airborne concentrations above statutory or recommended exposure

limits may cause irritation of the eyes.

Inhalation : Exposure to airborne concentrations above statutory or recommended exposure

limits

Skin contact may cause irritation of the nose, throat and lungs.

Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms No known significant effects or critical hazards.

Eye contact : Adverse symptoms may include the following:

irritation redness

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

Skin contact : No specific data.

Ingestion : No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

#### See toxicological information (Section 11)

Date of issue/Date of revision : 09/12/2020 2/10

### Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing

media

: Use dry chemical powder.

Unsuitable extinguishing

media

decomposition products

: Avoid high pressure media which could cause the formation of a potentially explosible

dust-air mixture

Specific hazards arising from the chamifalous thermal : May form explosible dust-air mixture if dispersed.

: Decomposition products may include the following materials: carbon dioxide

carbon monoxide

Special protective actions for fire-fighters Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

Special protective equipment for fire-fighters

## Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

mode

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

#### Methods and materials for containment and cleaning up

Small spill

: Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.

Large spill

Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.

: 09/12/2020 Date of issue/Date of revision 3/10

### Section 7. Handling and storage

Advice on general occupational hygiene Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on

hygiene measures.

Typical static discharges precautions Low ignition sensitivity. Ensure that the equipment is adequately grounded.

#### Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and wellventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use. STORE UNDER COVER. Store in tightly-closed container. Keep container dry.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### Occupational exposure limits

Ingredient name	Exposure limits
Polyacrylate crosspolymer-6	None.
2-methylpropan-2-ol	OSHA PEL 1989 (United States, 3/1989).
	TWA: 100 ppm 8 hours.
	TWA: 300 mg/m³ 8 hours.
	STEL: 150 ppm 15 minutes.
	STEL: 450 mg/m <sup>3</sup> 15 minutes.
	ACGIH TLV (United States, 4/2014).
	TWA: 100 ppm 8 hours.
	TWA: 303 mg/m <sup>3</sup> 8 hours.
	NIOSH REL (United States, 10/2013).
	TWA: 100 ppm 10 hours.
	TWA: 300 mg/m³ 10 hours.
	STEL: 150 ppm 15 minutes.
	STEL: 450 mg/m³ 15 minutes.
	OSHA PEL (United States, 2/2013).
	TWA: 100 ppm 8 hours.
	TWA: 300 mg/m <sup>3</sup> 8 hours.
	Time 300 mg/m 3 madra.

#### **Appropriate** engineering controls

: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

#### **Environmental** exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### **Individual protection measures**

#### Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Date of issue/Date of revision : 09/12/2020 4/10

### Section 8. Exposure controls/personal protection

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk

assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields. If operating conditions cause high dust concentrations to be produced, use

dust goggles.

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should

be worn at all times when handling chemical products if a risk assessment indicates

this is necessary.

**Bodyrptection**: Personal protective equipment for the body should be selected based on the task

being performed and the risks involved and should be approved by a specialist before

handling this product.

Other skin protection : Appropriate footwear and any additional skin protection measures should be selected

based on the task being performed and the risks involved and should be approved

by a specialist before handling this product.

**Respiratory protection**: Based on the hazard and potential for exposure, select a respirator that meets the

appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. Recommended: Ensure an MSHA/NIOSH-approved respirator or

equivalent is used. (APF 10).

### Section 9. Physical and chemical properties

**Appearance** 

Physical state : Solid. [Powder.]

Color : White to slightly colored. 3 pH : to 6 [Conc. (% w/w): 2%]

Flammability of the product

Relative density : Non-flammable.
Water solubility (g/l) : 0,23 [not tapped]

Granulometry : >2 g/l

Dusts physical data : <2 mm : 98% ; <150 μm : 25% ; <80 μm : 7%

Minimum ignition energy : 200 to 300 mJ Explosion severity (Kst) : 194 bar.m.s-1

**Explosion class** : ST 1

The information presented in this section does not serve as specifications.

### Section 10. Stability and reactivity

**Reactivity** : No specific test data related to reactivity available for this product or its

ingredients.

**Chemical stability** 

Conditions of instability : The product is stable.

: Avoid increased storage temperature. Keep away from oxidizing agents.

Possibility of hazardous

reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : Avoid the creation of dust when handling and avoid all possible sources of ignition

(spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust

accumulation.

**Incompatible materials**: Reactive or incompatible with the following materials:

oxidizing materials

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Date of issue/Date of revision: 09/12/20205/10

### **Section 11. Toxicological information**

#### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Test	Dose	Exposure
2-methylpropan-2-ol	LC50 Inhalation Gas.	-	14100 ppm	4 hours
	LD50 Oral	-	2733 mg/kg	-

Conclusion/Summary

Irritation/Corrosion

: Not classified as dangerous (By analogy.)

Conclusion/Summary

Skin : Non-irritating to the **Eyes Sensitization** skin.: Not categorized.

**Conclusion/Summary** 

Skin : Non-sensitizer to skin. (By analogy.)

#### Mutagenicity

Product/ingredient name	Test	Experiment	Result	
SEPIMAX ZEN	OCDE 471	Experiment: In vivo Subject: Bacteria	Negative	

Conclusion/Summary

: No mutagenic effect.

Carcinogenicity

**Conclusion/Summary** 

: Not available.

Reproductive toxicity

Conclusion/Summary

: Not available.

**Teratogenicity** 

Conclusion/Summary : Not available. Specific target organ toxicity (single exposure)

Name	Category	Route of exposure	Target organs
2-méthyl-2-propanol	Category 3		Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure)

Not available.

#### **Aspiration hazard**

Not available.

#### Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate

: Not available.

effects

Potential delayed effects : Not available.

Long term exposure

Potential immediate : Not available.

effects

Potential delayed effects : Not available. Potential chronic health effects : Not available.

Conclusion/Summary : Repeated or prolonged inhalation of dust may lead to chronic respiratory

General

Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards.

Date of issue/Date of revision : 09/12/2020 6/10

### Section 11. Toxicological information

**Fertility effects** 

: No known significant effects or critical hazards.

#### **Numerical measures of toxicity**

#### **Acute toxicity estimates**

Product/ingredient name	 Dermal (mg/kg)	Inhalation (gases) (ppm)	(vapors)	Inhalation (dusts and mists) (mg/ I)
Polyacrylate crosspolymer-6	 N/A	723076,9	N/A	N/A
2-methylpropan-2-ol	N/A	14100	N/A	N/A

### Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Test	Species	Exposure
2-methylpropan-2-ol	Acute EC50 5504000 µg/l Fresh water	-	Daphnia - Daphnia magna	48 hours
	Acute LC50 6410000 μg/l Fresh water	-	Fish - Pimephales promelas	96 hours
SEPIMAX ZEN	Acute EC50 >100 mg/l Fresh water	OCDE 201	Algae	72 hours

Conclusion/Summary

: Not classified as dangerous

#### Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
SEPIMAX ZEN	OECD 302B (Zahn-Wellens/ EVPA test)	79 % - Inherent - 28 days		200 mg/l Activated sludge

Conclusion/Summary

: The copolymer is inherently ultimate biodegradable.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
SEPIMAX ZEN	-	-	Inherent

#### **Bioaccumulative potential**

Product/ingredient name	LogP <sub>ow</sub>	BCF	Potential
2-méthyl-2-propanol	0,4	5,01	low

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects : No known significant effects or critical hazards.

### Section 13. Disposal considerations

#### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and

Date of issue/Date of revision : 09/12/2020 7/10

### Section 13. Disposal considerations

contact with soil, waterways, drains and sewers.

### **Section 14. Transport information**

	DOT Classification	TDG Classification	Mexico Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-
Packing group	-	-	-	-	-
Environmenta I hazards	No.	No.	No.	No.	No.
Additional information	-	-	-	-	-

Special precautions for user : Transport within user's premises: always transport in closed containers that are

upright and secure. Ensure that persons transporting the product know what to do

in the event of an accident or spillage.

Transport in bulk according to IMO

: Not available.

instruments

### Section 15. Regulatory information

Clean Air Act Section 112 : Not listed

(b) Hazardous Air Pollutants (HAPs)

**Clean Air Act Section** 

602 Class I Substances

: Not listed

Clean Air Act Section

602 Class II Substances

: Not listed

DEA List I Chemicals

: Not listed

(Precursor Chemicals)

: Not listed

DEA List II Chemicals (Essential Chemicals)

: Not available.

SARA 302/304

**EPA** signal word

#### Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

**SARA 311/312** 

: COMBUSTIBLE DUSTS

Classification

#### Composition/information on ingredients

Name	%	Classification
2-methylpropan-2-ol		FLAMMABLE LIQUIDS - Category 2 ACUTE TOXICITY (inhalation) - Category 4 EYE IRRITATION - Category 2A SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3

Date of issue/Date of revision : 09/12/2020 8/10

### Section 15. Regulatory information

	Product name	%
Form R - Reporting requirements	2-methylpropan-2-ol	1 - 5
Supplier notification	2-methylpropan-2-ol	1 - 5

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

Massachusetts

**New York** : None of the components are listed.

**New Jersey** 

: The following components are listed: tert-BUTYL ALCOHOL; 2-

PROPANOL,

Pennsylvania

2-METHYL-

California Prop. 65

: The following components are listed: 2-PROPANOL, 2-METHYL-

This product does not require a Safe Harbor warning under California Prop. 65.

Not listed.

### Section 16. Other information

#### **Hazardous Material Information System (U.S.A.)**



Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

#### National Fire Protection Association (U.S.A.)



Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

#### Procedure used to derive the classification

Classification	Justification
COMBUSTIBLE DUSTS	Expert judgment

**History** 

Date of printing : 09/12/2020 Date of issue/Date of : 09/12/2020

revision

Date of previous issue : 02/12/2019

Version : 2

Date of issue/Date of revision : 09/12/2020

#### Section 16. Other information

Key to abbreviations

: ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973

as modified by the Protocol of 1978. ("Marpol" = marine pollution)

UN = United Nations

References : Not available.

Indicates information that has changed from previously issued version.

#### Notice to reader

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.

Date of issue/Date of revision : 09/12/2020 10/10