



SAFETY DATA SHEET

Crafter's Choice™ Sodium Gluconate

Date Revised: October 21, 2022

1. PRODUCT INFORMATION AND COMPANY IDENTIFICATION

Product Name: Crafter's Choice™ Sodium Gluconate

Company: IndiMade Brands, LLC DBA Wholesale Supplies Plus
7820 E Pleasant Valley Road
Independence, OH 44131
(800) 359-0944
www.WholesaleSuppliesPlus.com

Emergency Contact: (800) 255-3924 Domestic USA, Canada, Puerto Rico, and US Virgin Islands
+1 813 248-0585 International

2. HAZARD IDENTIFICATION

GHS Classification :

Skin irritation (Category 2)
Eye irritation (Category 2)



Symbol

Signal word: Warning

Hazard statement:

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation

Precautionary statement

Prevention

P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P281 Use personal protective equipment as required.

Response

P302+352



SAFETY DATA SHEET

Crafter's Choice™ Sodium Gluconate

Date Revised: October 21, 2022

P305+351+
338

IF ON SKIN: Wash with soap and water
IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses if present and easy to do continue rinsing
If eye irritation persists: Get medical advice/attention

P337+P313

Storage

P403+P233

Store in a well ventilated place. Keep container tightly closed.

Disposal

P501

Dispose of contents/container in accordance with
local/regional/national/international regulations (to be specified).

3. COMPOSITION/INFORMATION ON INGREDIENTS

INCI NAME	CAS NO.	CONCENTRATION (%)
Cationic Hydroxyethyl cellulose	68610-92-4	≥ 91.0
Water	7732-18-5	≤ 5.5
Sodium Acetate	127-09-3	≤ 1.5
Sodium Chloride	7647-14-5	≤ 1.5
Isopropanol	67-63-0	≤ 0.5

4. FIRST AID MEASURES

After eye contact

Flush eyes with running water for at least 15 minutes.
If needed, seek medical attention.

After skin contact

Wash skin with soap and running water for at least 15 minutes.
If needed, seek medical attention.

After inhalation

Move victim to fresh air.
Give artificial respiration if breathing has stopped.
If needed, seek medical attention.

After swallowing

Drink 1 or 2 glasses of water.
Immediately see a physician.
Never give anything by mouth to an unconscious person.

Notes to physician

Ensure that medical personnel are aware of the materials involved and take precautions to protect themselves.



SAFETY DATA SHEET

Crafter's Choice™ Sodium Gluconate

Date Revised: October 21, 2022

5. FIRE FIGHTING MEASURES

Extinguishing media

Suitable extinguishing agents:

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide Use extinguishing media suitable for surrounding fire.

Unsuitable extinguishing agents:

Do NOT use straight streams of water.

Large Fires:

Use dry chemical or carbon dioxide.

Hazardous combustion products:

Hydrogen chloride, Nitrogen oxides (NOx)

Protection of firefighters

Specific hazards arising from the chemical:

Combustion generates fumes of the followings: Hydrogen chloride, Nitrogen oxides. **Protective**

equipment for firefighters:

Firefighters should wear self-contained breathing apparatus (SCBA).

Structural firefighter's protective clothing will only provide limited protection.

General fire hazards

Wear self-contained breathing apparatus (SCBA) and protective suit.

Cool containers/tanks with spray water.

Do not breathe fumes.

Contain run-off.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

No danger almost exists as adding agent of detergents.

Do not touch or walk through spilled material.

Use personal protective equipment.

Avoid dust formation, breathing vapors, mist or gas and breathing dust.

Ensure adequate ventilation.

Evacuate personnel to safe areas.

Wash off in clean water.

Environmental precautions



SAFETY DATA SHEET

Crafter's Choice™ Sodium Gluconate

Date Revised: October 21, 2022

Atmosphere: Use with adequate ventilation.

Land: Do not discharge into the subsoil/soil.

Underwater: Do not flush into drains/surface waters/underwater/public water course.

Methods for cleaning up

Collect as much as possible in a clean container for (preferable) reuse or disposal. Prevent spillage from entering drains or water courses. Surface may become slippery after spillage.

Use dry clean up procedures and avoid generating dust.

Collect residues in container for disposal.

Wash area down with water and prevent runoff into drains.

7. HANDLING AND STORAGE

Safe Handling

Avoid contact with eyes. Wash thoroughly after handling.

All handling equipment must be properly grounded.

Product contains low level of organic volatiles which could accumulate in the unvented headspace of drums or bulk storage vessels.

Open drums in well ventilated area.

Avoid breathing vapors.

Special, local ventilation is recommended in areas where containers are opened and their contents are discharged or in any other areas where dusting conditions may develop.

Safe Storage

Store in a cool, well-ventilated, dry area away from heat, sparks or fire.

Mechanical handling of the powder on inadequately grounded equipment can result in static electrical discharges.

Product contains low level of organic volatiles which could cumulate in the unvented headspace of drums or bulk storage vessels. Open drums in well ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use with local exhaust ventilation.

Exposure Limits: ACGIH (TLV): Isopropanol – TWA: 200 ppm, STEL: 400 ppm
OSHA (PEL): Isopropanol – TWA: 400 ppm, STEL: 500 ppm

Personal Protective Equipment

Respiratory Protection: None required under normal handling conditions. Use NIOSH approved dust mask if dust levels are irritating.

Eyes: Wear safety glasses with side shields. Protect against dust and particulates. **Skin:** Wear chemically resistant gloves.



SAFETY DATA SHEET

Crafter's Choice™ Sodium Gluconate

Date Revised: October 21, 2022

Clothing: Wear impervious clothing and boots.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Powder
Color	White
Odor	Mild
Odor threshold	No data
pH	5.5 – 6.5 (@% solution in H ₂ O)
Melting point/ Freezing point	200°C (Decomposes above)
Initial boiling point and Boiling range	Not available
Flashpoint	Not available
Evaporation rate	Not available
Flammability (solid,gas)	Not determined
Upper/Lower flammability or explosive limits	Not applicable
Vapor pressure	Not available
Solubility	Not available
Vapor density	Not available
Relative Density	0.4-0.6 g/cm ³ (Bulk density)
Partition coefficient:n-octanol/water	Not determined
Auto-ignition temperature	387°C
Decomposition temperature	Not determined
Viscosity	Not determined
Molecular weight	10000-1000000 g/mol

10. STABILITY AND REACTIVITY

Stability: Stable under normal temperature and pressure

Conditions to Avoid: Heat

Incompatible materials: Strong Oxidizing agents.

Hazardous decomposition products: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11. TOXICOLOGICAL INFORMATION

Acute toxicity (Oral) Sodium acetate
Rat LD₅₀=3500 mg/kg (NLM: HSDB)
Sodium chloride
Rat LD₅₀=3000 mg/kg (IUCLID)



SAFETY DATA SHEET

Crafter's Choice™ Sodium Gluconate

Date Revised: October 21, 2022

	Isopropanol Rat LD50=4396 mg/kg (IUCLID)
Acute toxicity (Dermal)	Sodium chloride Rabbit LD50>10000 mg/kg (NLM: ChemIDPlus) Isopropanol Rabbit LD50=12870 mg/kg (SIDS)
Acute toxicity (inhalation)	Sodium acetate Rat LC50>30 g/m ³ /1hr (HPVIS) Isopropanol Rat LC50=72.6 mg/L/4hr (SIDS)
Skin corrosion/irritation	Sodium acetate Rabbit: not irritating (OECD 404)(GLP) (IUCLID) Sodium chloride Rabbit: moderately irritating (IUCLID) Isopropanol Rabbit: not irritating (SIDS)
Serious eye damage/eye irritation	Sodium acetate Rabbit: not irritating (OECD 405)(GLP) (IUCLID) Sodium chloride Rabbit: moderately irritating (IUCLID) Isopropanol Rabbit: irritating (SIDS)
Respiratory sensitization	No data
Skin sensitization	Isopropanol Guinea Pig: not sensitizing Draize Test (SIDS)
Carcinogenicity	Isopropanol Negative (SIDS), Group 3 (IARC)
Germ cell mutagenicity	Sodium acetate In Vitro: Ames test, cytogenetic assay – negative In Vivo: Testicular DNA-synthesis inhibition test (mouse male) route-gavage result – negative (IUCLID) Sodium chloride In Vitro: Ames test - negative, cytogenetic assay, DNA damage and repair assay – positive



SAFETY DATA SHEET

Crafter's Choice™ Sodium Gluconate

Date Revised: October 21, 2022

In Vivo: rat, Cytogenetic assay - Slight positive reaction for chromosome aberration.

Mouse, Micronucleus assay - Negative (IUCLID)
Isopropanol

In Vitro: Bacterial Test Salmonella typhimurium - negative

In vivo: micronuclei assay in mice – negative, GLP (SIDS)

Reproductive toxicity

Sodium acetate

Mouse female gavage day 8-12 of gestation 1000 mg/kg result-No maternal or neonatal effects (IUCLID)

Sodium chloride

Mouse route: S.C. 18 days

NOAEL Maternalt. =2500 mg/kg,

NOAEL Teratogen.<1900 mg/kg (IUCLID)

Isopropanol

Male and female fertility, and female fecundity indices of rats dosed with isopropanol were not different from those of controls by statistical analysis and were within, or relatively close to, historical control values. No reproductive effects were noted in other studies in which rats were dosed up to 2% in the drinking water. (SIDS)

Specific target organ

Toxicity (Single exposure) Isopropanol

Irritating to the respiratory tract (ICSC).

Prolonged exposure may produce central nervous system depression and narcosis. (SIDS)

Specific target organ

Toxicity (Repeated exposure) Sodium acetate

Rat(male) oral In food 3.58% of the diet (approx. 3.6 g/kg bw/day) 4 week Result: Growth and survival were normal. (HPVIS)

Sodium chloride

Rat oral feed 6 weeks LOAEL=36600 mg/kg No significant effect

Isopropanol

NOEL = 500 ppm Rat/mice, inhalation, 13 weeks,

The incidence of renal tubular proteinosis was generally significantly increased for all male and female treatment groups.

Mild to moderate degrees of tubular dilation were observed in a small number of females in the 2500 and 5000 ppm groups.

(SIDS)

Aspiration



SAFETY DATA SHEET

Crafter's Choice™ Sodium Gluconate

Date Revised: October 21, 2022

Isopropanol

The death of cardiopulmonary arrest is observed within 24 hours by the intratracheal administration in the rat.

The dynamic viscosity was around 1.6 (NITE).

The toxicity data of Cationic Hydroxyethyl cellulose (91.0% of this product) is not found.

12. ECOLOGICAL INFORMATION

Toxicity

Sodium acetate

Crustacea Daphnia magna 48hr EC50>1000 mg/L (GLP) (IUCLID)

Sodium chloride

Fish, Anguilla rostrata 96hr LC50=17.9 mg/L (IUCLID)

Gambusia holbrooki 28 days NOEC=100 mg/L (ECOTOX)

Crustacea, Daphnia magna 48hr EC50=402.6 mg/L (ECOTOX)

Ceriodaphnia dubia 7 days NOEC=250 mg/L (ECOTOX)

Algae, Navicula seminulum 96hr EC50=2430 mg/L (ECOTOX)

Isopropanol

Fish, Lepomis macrochirus 96hr LC50=1400 mg/L (ECOTOX),

Crustacean, Daphnia magna 48hr EC50=13299 mg/L (IUCLID),

21 days NOEC=30 mg/L (SIDS)

Algae, Scenedesmus subspicatus 96hr EC50>1000 mg/L ,

NOEC=1000mg/L (IUCLID)

Persistence and degradability

Sodium acetate

Biodegradation-100% after 5 day (IUCLID)

Isopropanol

Ready biodegradability MITI-I (OECD TG 301C) (CHRIP), 49 % after 5 days at 20 °C (SIDS)

Bioaccumulative potential

Isopropanol - Log Kow=0.05 at 25C, BCF=1.0 (SIDS)

Mobility in soil

Isopropanol - Log KOC= 0.03 (SIDS)

Other adverse effects

No data

13. DISPOSAL CONSIDERATIONS

Incinerate or landfill waste in a properly permitted facility in accordance with federal, state and local regulations. Liquids cannot be disposed of in a landfill.

14. TRANSPORT INFORMATION

UN Number :-

Proper Shipping Name :-

Transport hazard class :-

Packing group, if applicable :-

Environmental hazards :-



SAFETY DATA SHEET

Crafter's Choice™ Sodium Gluconate

Date Revised: October 21, 2022

Special precautions for user:-

15. REGULATORY INFORMATION

Safety, health and environmental regulations specific for the product in question:

EU Regulation

- EU Directive 67/548/EEC:

Isopropanol – F;R11 – Xi;R36 – R67

R11: Highly flammable

R36: irritating to eyes

R67: Vapors may cause drowsiness and dizziness

- EU CLP regulation (EC) No 1272/2008:

Isopropanol – Flam. Liq. 2; Eye Irrit. 2; STOT SE 3

H225 – Highly flammable liquid and vapor

H319 – Causes serious eye irritation

H336 – May cause drowsiness and dizziness

US Regulation

- OSHA Regulation (Standard-29 CFR) 1910.119: Not regulated
- CERCLA SARA Title III Section 313: Not regulated
- CERCLA Reportable Quantities: Not regulated
- CERCLA SARA Title III Section 304: Not regulated
- CERCLA SARA Title III Section 302: Not regulated

International Regulation

- INCI (International Nomenclature of Cosmetic Ingredients):
 - Cationic Hydroxyethyl cellulose - Antistatic, Film forming
 - Sodium acetate - Buffering, Masking
 - Sodium chloride - Bulking, Masking, Oral care, Viscosity controlling
 - Isopropanol - Antifoaming, Solvent, Viscosity controlling, Perfuming
- International Council of Chemical Associations (ICCA) HPV Chemicals Programme : Not regulated
- Rotterdam Convention: Not regulated
 - Stockholm Convention on Persistent Organic Pollutants (POPs): Not regulated
 - Montreal Protocol: Not regulated

- OTHER INFORMATION

- Disclaimer:

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.