

SDS v1 GHS / OSHA

Revised Date: 2024-03-08 11:28

Crafter's Choice[™] Woodland Cashmere Product:

Fragrance Oil

Page 1 of 7 Print Date: 2024-03-15 16:44

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

1. Identification of the substance/mixture and of the company/undertaking

Product identifier 1.1

Trade Name: Crafter's Choice[™] Woodland Cashmere Fragrance Oil

1.2 Relevant indentified product use

Intended use: Compound used in customer substance/mixture/product

1.3 Details of the manufacturer/supplier of the safety data sheet

Supplier: IndiMade Brands, LLC DBA Wholesale Supplies Plus 7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Emergency telephone number 1.4

(800) 255-3924	Domestic USA, Canad	la, Puerto Rico	, and US Virgin Isl	ands

+1 813 248-0585 International

2 Hazards Identification

2.1 Classification of the substance or mixture

This mixture has not been tested as a whole. The effects, listed below, are based on evaluation of individual components in accordance with the provisions of the regulation(s) noted below.

Classification according to GHS

	Acute Toxicity Oral, Category 5	H303 : May be harmful if swallowed	
	Skin Corrosion/Irritation, Category 2	H315 : Causes skin irritation	
	Sensitization, Skin, Category 1B	H317 : May cause an allergic skin reaction	
	Acute Toxicity Inhalation, Category 5	H333 : May be harmful if inhaled	
	Aquatic Acute Toxicity, Category 1	H400 : Very Toxic to aquatic life	
	Aquatic Chronic Toxicity, Category 2	H411 : Toxic to aquatic life with long lasting effects	
Classification OSHA (Provisions 1910.1200 of title 29)			

CI

Skin Corrosion/Irritation, Category 2	H315 : Ca
Sensitization, Skin, Category 1B	H317 : M

Causes skin irritation

lay cause an allergic skin reaction

Classification Other

Carcinogenicity

This mixture contains ingredients identified as carcinogens, at 0.1% or greater, by the following:None [X] ACGIH [] IARC [] NTP [] OSHA []

2.2 Label elements

Labelling (GHS)

Hazard pictograms



Signal Word: Warning



Revised Date: 2024-03-08 11:28

Product: Crafter's Choice[™] Woodland Cashmere

Fragrance Oil

Page 2 of 7 Print Date: 2024-03-15 16:44

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Hazard statements	
H303	May be harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H333	May be harmful if inhaled
H400	Very Toxic to aquatic life
H411	Toxic to aquatic life with long lasting effects
Precautionary Statements	
Prevention:	
P264	Wash hands thoroughly after handling
P272	Contaminated work clothing should not be allowed out of the workplace
P273	Avoid release to the environment
Response:	
P302 + P352	IF ON SKIN: Wash with soap and water
P304 + P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P333 + P313	If skin irritation or a rash occurs: Get medical advice/attention
P362	Take off contaminated clothing and wash before reuse
P363	Wash contaminated clothing before reuse
P391	Collect Spillage
2.3 Other Hazards	

no data available

3. Composition/Information on Ingredients

3.1 Mixtures

This product is a complex mixture of ingredients, which contains among others the following substance(s), presenting a health or environmental hazard within the meaning of the UN Globally Harmonized System of Classification and Labeling of Chemicals (GHS):

CAS# ?Ingredient?	EC#	Conc. Range	GHS Classification	
120-51-4	204-402-9	20 - 30 %	H302; H313; H400; H411	
Benzyl Ber	nzoate			
54464-57-2	259-174-3	10 - 20 %	H315; H317; H401; H410	
Tetramethyl Acetyloctahydronaphthalenes				
121-32-4	204-464-7	2 - 5 %	H303; H320; H402	
Ethyl Vanillin				
105-95-3	203-347-8	2 - 5 %	H401	
Ethylene b	rassylate			
144020-22-4	482-330-9	1 - 2 %	H316; H317; H400; H410	
Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododec				
58567-11-6	261-332-1	0.1 - 1.0 %	H315; H317; H401; H411	
(ethoxyme	thoxy)cyclododed	cane		



Revised Date: 2024-03-08 11:28

Crafter's Choice[™] Woodland Cashmere Product:

7820 E Pleasant W	alley Road		Fragrance Oil	Page 3 of 7
7820 E Pleasant Valley Road Independence, OH 44131			C C	Print Date: 2024-03-15 16:44
(800) 359-0944 www.WholesaleSu	uppliesPlus.com			
CAS# ?Ingredient?	EC#	Conc. Range	GHS Classification	
33704-61-9	251-649-3	0.1 - 1.0 %	H303; H315; H317; H319; H401; H411	
6,7-Dihydr	ro-1,1,2,3,3-pei	• • •	ndanone (Cashmeran)	
70788-30-6	274-892-7	0.1 - 1.0 %	H315; H317; H411	
	propylcyclohex			
101-86-0 Hexyl cinn	202-983-3 amal	0.1 - 1.0 %	H303; H316; H317; H400; H411	
See Section 16	6 for full text of	GHS classification	n codes	
See S	ection 16 for fu	Ill text of GHS cla	ssification codes which where not shown in sec	ction 2
Total H	Hydrocarbon C	ontent (% w/w) =	0.00	
4. Fir	rst Aid Meas	sures		
4.1 Descript	tion of first aid	l measures		
Inhalation:			Remove from exposure site to fresh air and Obtain medical advice.	keep at rest.
Eye Expos	ure:		Flush immediately with water for at least 15 Contact physician if symptoms persist.	minutes.
Skin Expo	sure:		Remove contaminated clothes. Wash thoro Contact physician if symptoms persist.	ughly with water (and soap).
Ingestion:			Rinse mouth with water and obtain medical	advice.
4.2 Most im	portant sympt	oms and effects	, both acute and delayed	
Symptoms	:		no data available	
Risks:			Refer to Section 2.2 "Hazard Statements"	
4.3 Indicatio	on of any imm	ediate medical a	ttention and special treatment needed	
Treatment:	:		Refer to Section 2.2 "Response"	
	e-Fighting	measures		
5.1 Extingui	shing media			
Suitable:			Carbon dioxide (CO2), Dry chemical, Foam	
Unsuitable)		Do not use a direct water jet on burning mat	erial
5.2 Special	hazards arisin	ig from the subs	tance or mixture	
During fire	fightina:		Water may be ineffective	
5.3 Advice f			,	
Further inf	ormation:		Standard procedure for chemical fires	

6. **Accidental Release Measures**

Personal precautions, protective equipment and emergency procedures 6.1

Avoid inhalation and contact with skin and eyes. A self-contained breathing apparatus is recommended in case of a major spill.



Revised Date: 2024-03-08 11:28

Product: Crafter's Choice[™] Woodland Cashmere

Fragrance Oil

Page 4 of 7 Print Date: 2024-03-15 16:44

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

6.2 Environmental precautions

Keep away from drains, soil, and surface and groundwater.

6.3 Methods and materials for containment and cleaning up

Clean up spillage promptly. Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapors. Gross spillages should be contained by use of sand or inert powder and disposed of according to the local regulations.

6.4 Reference to other sections

Not Applicable

7. Handling and Storage

7.1 Precautions for safe handling

Apply according to good manufacturing and industrial hygiene practices with proper ventilation. Do not drink, eat or smoke while handling. Respect good personal hygiene.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry and ventilated area away from heat sources and protected from light in tightly closed original container. Avoid uncoated metal container. Keep air contact to a minimum.

7.3 Specific end uses

No information available

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits: Contains no substances with occupational exposure limit values.

Engineering Controls: Use local exhaust as needed.

8.2 Exposure controls - Personal protective equipment

Eye protection: Tightly sealed goggles, face shield, or safety glasses with brow guards and side shields, etc. as may be appropriate for the exposure

Respiratory protection: Avoid excessive inhalation of concentrated vapors. Apply local ventilation where appropriate.

Skin protection: Avoid Skin contact. Use chemically resistant gloves as needed.

9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance:	Liquid
Odor:	Conforms to Standard
Color:	Conforms to Standard
Viscosity:	Liquid
Freezing Point:	Not determined
Boiling Point:	Not determined
Melting Point:	Not determined
Flashpoint (CCCFP):	>200 F (93.33 C)



Revised Date: 2024-03-08 11:28

Product: Crafter's Choice™ Woodland Cashmere

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com Fragrance Oil

Page 5 of 7 Print Date: 2024-03-15 16:44

w.wnoiesaleSuppliesFlus.com	
Auto flammability:	Not determined
Explosive Properties:	None Expected
Oxidizing properties:	None Expected
Vapor Pressure (mmHg@20 C):	0.0006
%VOC:	0.02
Specific Gravity @ 25 C:	Not determined
Density (g/mL) @ 25 C:	Not determined
Refractive Index @ 20 C:	Not determined
Soluble in:	Oil

10. Stability and Reactivity

10.1 Reactivity	None
10.2 Chemical stability	Stable
10.3 Possibility of hazardous reactions	None known
10.4 Conditions to avoid	None known
10.5 Incompatible materials	Strong oxidizing agents, strong acids, and alkalis
10.6 Hazardous decomposition products	None known

11. Toxicological Information

11.1 Toxicological Effects

Acute Toxicity Estimates (ATEs) based on the individual Ingredient Toxicity Data utilizing the "Additivity Formula"

(LD50: 3169.5737) May be harmful if swallowed
Not classified - the classification criteria are not met
(LD50: 1316.7816) May be harmful if inhaled
Causes skin irritation
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
May cause an allergic skin reaction
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met
Not classified - the classification criteria are not met



SDS v1 GHS / OSHA

Revised Date: 2024-03-08 11:28

Product: Crafter's Choice[™] Woodland Cashmere

Fragrance Oil

Page 6 of 7 Print Date: 2024-03-15 16:44

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

	11		
12.	Ecological Information		
12.1 T	oxicity		
۸cı	ute acquatic toxicity	Very Toxic to aquatic life	

Acute acquatic toxicity	very toxic to aqualic life
Chronic acquatic toxicity	Toxic to aquatic life with long lasting effects
Toxicity Data on soil	no data available
Toxicity on other organisms	no data available
12.2 Persistence and degradability	no data available
12.3 Bioaccumulative potential	no data available
12.4 Mobility in soil	no data available
12.5 Other adverse effects	no data available

13. Disposal Conditions

13.1 Waste treatment methods

Do not allow product to reach sewage systems. Dispose of in accordance with all local and national regulations. Send to a licensed waste management company. The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container.

14. Transport Information

Marine Pollutant	Yes. Ingredient of greatest environmental impact : 120-51-4 : (20 - 30 %) : Benzyl Benzoate				
Regulator		Class	Pack Group	Sub Risk	UN-nr.
U.S. DOT (Non-Bulk)		Not Regulated	- Not Dangerous	Goods	
Chemicals NOI					
ADR/RID (International Road/Rail)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IATA (Air Cargo)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	III		UN3082
IMDG (Sea)					
Environmentally Hazardous Substance, Liquid, n.o.s.		9	111		UN3082

15. Regulatory Information		
U.S. Federal Regulations		
TSCA (Toxic Substance Control Act)	All components of the substance/mixture are listed or exempt	
40 CFR(EPCRA, SARA, CERCLA and CAA)	This product contains NO components of concern.	
U.S. State Regulations		
California Proposition 65 Warning	No Warning required	



SDS v1 GHS / OSHA

Revised Date: 2024-03-08 11:28

Product: Crafter's Choice[™] Woodland Cashmere Fragrance Oil

Page 7 of 7 Print Date: 2024-03-15 16:44

7820 E Pleasant Valley Road Independence, OH 44131 (800) 359-0944 www.WholesaleSuppliesPlus.com

Canadian Regulations

DSL

144020-22-4 482-330-9 1 - 2 %

99.00% of the components are listed or exempt. The following components are NOT on the List: Acetic acid, anhydride, reaction products with 1,5,10-trimethyl-1,5,9-cyclododec

16. Other Information

GHS H-Statements referred to under section 3 and not listed in section 2

H302 : Harmful if swallowed	H313 : May be harmful in contact with skin	
H316 : Causes mild skin irritation	H319 : Causes serious eye irritation	
H320 : Causes eye irritation	H401 : Toxic to aquatic life	
H402 : Harmful to aquatic life	H410 : Very toxic to aquatic life with long lasting effects	
Total Fractional Values		
(TFV) Risk	(TFV) Risk	
(63.41) Aquatic Chronic Toxicity, Category 3	(12.00) Sensitization, Skin, Category 1B	
(6.34) Aquatic Chronic Toxicity, Category 2	(3.80) Acute Toxicity Inhalation, Category 5	
(1.66) Aquatic Chronic Toxicity, Category 4	(1.58) Acute Toxicity Oral, Category 5	

(1.42) Skin Corrosion/Irritation, Category 2

(1.08) Aquatic Acute Toxicity, Category 1

(1.57) Skin Corrosion/Irritation, Category 3

Department issuing data sheet:

Department E-mail address:

Remarks

This safety data sheet is based on the properties of the material known to IndiMade Brands, LLC at the time the data sheet was issued. The safety data sheet is intended to provide information for a health and safety assessment of the material and the circumstances, under which it is packaged, stored or applied in the workplace. For such a safety assessment IndiMade Brands, LLC holds no responsibility. This document is not intended for quality assurance purposes.